

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 1

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 2







Fig. 3

STATOR FOR DYNAMO-ELECTRIC MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854



STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 6




Fig. 7

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 8




Fig. 9

Inventors: Yuuji NAKAHARA et al.
Q61854

Q61854



F i g. 10



F i g. 11

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 12




Fig. 13




Fig. 14




Fig. 15 (A)






Fig. 15 (B)



STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 17




Fig. 18

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 19




Fig. 20

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 21





Fig. 22

Q61854-1-2000

Inventors: Yuuji NAKAHARA et al.
Q61854



F i g . 2 4

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 25






Fig. 26

Q61854

Q61854



F i g . 27



F i g . 2'8

Parameter	Value	Unit
Initial concentration	1.0	g/L
Initial pH	7.0	
Temperature	25	°C
Time	0, 1, 2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 4096, 8192, 16384, 32768, 65536, 131072, 262144, 524288, 1048576, 2097152, 4194304, 8388608, 16777216, 33554432, 67108864, 134217728, 268435456, 536870912, 1073741824, 2147483648, 4294967296, 8589934592, 17179869184, 34359738368, 68719476736, 137438953472, 274877906944, 549755813888, 1099511627776, 2199023255552, 4398046511104, 8796093022208, 17592186044416, 35184372088832, 70368744177664, 140737488355328, 281474976710656, 562949953421312, 1125899906842624, 2251799813685248, 4503599627370496, 9007199254740992, 18014398509481984, 36028797018963968, 72057594037927936, 144115188075855872, 288230376151711744, 576460752303423488, 1152921504606846976, 2305843009213693952, 4611686018427387904, 9223372036854775808, 18446744073709551616, 36893488147419103232, 73786976294838206464, 147573952589676412928, 295147905179352825856, 590295810358705651712, 1180591620717411303424, 2361183241434822606848, 4722366482869645213696, 9444732965739290427392, 18889465931478580854784, 37778931862957161709568, 75557863725914323419136, 151115727451828646838272, 302231454903657293676544, 604462909807314587353088, 1208925819614629174706176, 2417851639229258349412352, 4835703278458516698824704, 9671406556917033397649408, 19342813113834066795298816, 38685626227668133590597632, 77371252455336267181195264, 154742504910672534362390528, 309485009821345068724781056, 618970019642690137449562112, 1237940039285380274899124224, 2475880078570760549798248448, 4951760157141521099596496896, 9903520314283042199192993792, 19807040628566084398385987584, 39614081257132168796771975168, 79228162514264337593543950336, 158456325028528675187087900672, 316912650057057350374175801344, 633825300114114700748351602688, 1267650600228229401496703205376, 2535301200456458802993406410752, 5070602400912917605986812821504, 10141204801825835211973625643008, 20282409603651670423947251286016, 40564819207303340847894502572032, 81129638414606681695789005144064, 162259276829213363391578010288128, 324518553658426726783156020576256, 649037107316853453566312041152512, 1298074214633706907132624082305024, 2596148429267413814265248164610048, 5192296858534827628530496329220096, 10384593717069655257060992658440192, 20769187434139310514121985316880384, 41538374868278621028243970633760768, 83076749736557242056487941267521536, 166153499473114484112975882535043072, 332306998946228968225951765070086144, 664613997892457936451903530140172288, 1329227995784915872903807060280344576, 2658455991569831745807614120560689152, 5316911983139663491615228241121378304, 10633823966279326983230456482242756608, 21267647932558653966460912964485513216, 42535295865117307932921825928971026432, 85070591730234615865843651857942052864, 170141183460469231731687303715884105728, 340282366920938463463374607431768211456, 680564733841876926926749214863536422912, 1361129467683753853853498429727072845824, 2722258935367507707706996859454145691648, 5444517870735015415413993718908291383296, 10889035741470030830827987437816582766592, 21778071482940061661655974875633165533184, 43556142965880123323311949751266331066368, 87112285931760246646623899502532662132736, 174224571863520493293247799005065324265472, 348449143727040986586495598010130648530944, 696898287454081973172991196020261297061888, 1393796574908163946345982392040522594123776, 2787593149816327892691964784081045188247552, 5575186299632655785383929568162090376495104, 11150372599265311570767859136324180752990208, 22300745198530623141535718272648361505980416, 44601490397061246283071436545296723011960832, 89202980794122492566142873090593446023921664, 178405961588244985132285746181186892047843328, 356811923176489970264571492362373784095686656, 713623846352979940529142984724747568191373312, 1427247692705959881058285969449495136382746624, 2854495385411919762116571938898990272765493248, 5708990770823839524233143877797980545530986496, 11417981541647679048466287755595961091061972992, 2283596308329	

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854




Fig. 29

00574634-121300

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKAHARA et al.
Q61854





Fig. 30

09734684-12300


[illegible]

FIG. 1 is a cross-sectional view of a circular ring. The ring is labeled 9. It features a series of rectangular slots, labeled 12, arranged in a circular pattern. A horizontal line with arrows at both ends is labeled XXXII.


F i g . 3 2



F i g. 33



F i g . 3 4 (A)




F i g . 3 4 (B)

The dependent variable		The independent variable	
Dependent variable	Independent variable	Dependent variable	Independent variable
1.000	1.000	1.000	1.000
0.999	0.999	0.999	0.999
0.998	0.998	0.998	0.998
0.997	0.997	0.997	0.997
0.996	0.996	0.996	0.996
0.995	0.995	0.995	0.995
0.994	0.994	0.994	0.994
0.993	0.993	0.993	0.993
0.992	0.992	0.992	0.992
0.991	0.991	0.991	0.991
0.990	0.990	0.990	0.990
0.989	0.989	0.989	0.989
0.988	0.988	0.988	0.988
0.987	0.987	0.987	0.987
0.986	0.986	0.986	0.986
0.985	0.985	0.985	0.985
0.984	0.984	0.984	0.984
0.983	0.983	0.983	0.983
0.982	0.982	0.982	0.982
0.981	0.981	0.981	0.981
0.980	0.980	0.980	0.980
0.979	0.979	0.979	0.979
0.978	0.978	0.978	0.978
0.977	0.977	0.977	0.977
0.976	0.976	0.976	0.976
0.975	0.975	0.975	0.975
0.974	0.974	0.974	0.974
0.973	0.973	0.973	0.973
0.972	0.972	0.972	0.972
0.971	0.971	0.971	0.971
0.970	0.970	0.970	0.970
0.969	0.969	0.969	0.969
0.968	0.968	0.968	0.968
0.967	0.967	0.967	0.967
0.966	0.966	0.966	0.966
0.965	0.965	0.965	0.965
0.964	0.964	0.964	0.964
0.963	0.963	0.963	0.963
0.962	0.962	0.962	0.962
0.961	0.961	0.961	0.961
0.960	0.960	0.960	0.960
0.959	0.959	0.959	0.959
0.958	0.958	0.958	0.958
0.957	0.957	0.957	0.957
0.956	0.956	0.956	0.956
0.955	0.955	0.955	0.955
0.954	0.954	0.954	0.954
0.953	0.953	0.953	0.953
0.952	0.952	0.952	0.952
0.951	0.951	0.951	0.951
0.950	0.950	0.950	0.950
0.949	0.949	0.949	0.949
0.948	0.948	0.948	0.948
0.947	0.947	0.947	0.947
0.946	0.946	0.946	0.946
0.945	0.945	0.945	0.945
0.944	0.944	0.944	0.944
0.943	0.943	0.943	0.943
0.942	0.942	0.942	0.942
0.941	0.941	0.941	0.941
0.940	0.940	0.940	0.940
0.939	0.939	0.939	0.939
0.938	0.938	0.938	0.938
0.937	0.937	0.937	0.937
0.936	0.936	0.936	0.936
0.935	0.935	0.935	0.935
0.934	0.934	0.934	0.934
0.933	0.933	0.933	0.933
0.932	0.932	0.932	0.932
0.931	0.931	0.931	0.931
0.930	0.930	0.930	0.930
0.929	0.929	0.929	0.929
0.928	0.928	0.928	0.928
0.927	0.927	0.927	0.927
0.926	0.926	0.926	0.926
0.925	0.925	0.925	0.925
0.924	0.924	0.924	0.924
0.923	0.923	0.923	0.923
0.922	0.922	0.9	

STATOR FOR DYNAMO-ELECTRIC
MACHINE

Inventors: Yuuji NAKHARA et al.
Q61854



(P r i o r A r t)

F i g . 3 5

Q61854-73946/60